

Standard Toilet Configurations



U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034

Tel: +91-40-4024-5401 to 04 | Fax: +91-40-4024-5400

Email: info@ufoam.com | Website: www.ufoam.com

Version 1.0
January 2015

Contents

S.No.	Item	Brief Description	Drawing No.	Page No.
1	Company Profile			3
2	Individual Toilet	Single Indian toilet	120090-1IWC-1	4
3	Individual Toilet	Single Western toilet	120090-1WC-2	5
4	Twin Toilet	Two toilets	120180-2IWC-1	6
5	Toilet + Urinal	One toilet two urinals	120180-1IWC2UR-1	7
6	Toilet Block	Three toilets	180270-3IWC-1	8
7	Toilet + Urinal	One toilet three urinals	180300-1IWC3UR-1	9
8	Toilet + Urinal	Four toilets four urinals	360270-4IWC4UR-1	10
9	Toilet + Urinal	Four toilets four urinals	240270-4IWC4UR-2	11
10	Toilet Block	Eight toilets	360360-8IWC-1	12
11	Toilet Block	Eight toilets	240360-8IWC-2	12
12	Two Urinal Block	Twin Urinals	120090-2UR-1	13
13	Four Urinal Block	Four Urinals Wide	120180-4UR-1	14
14	Four Urinal Block	Four Urinals Long	240090-4UR-2	15
15	Women Urinal	Two Urinals with Kiosk	120360-2WUR-1	16
16	Specifications	Basic product specifications		17
17	Enquiry form			18
18	Site sketch			19
19	Notes			20

Company Profile

Incorporated in 1959, by the Father of Polyurethane foams in India our founder Late, Mr. M Sarangapani, U-Foam has been pioneering the usage of Polyurethane Foams in INDIA in all its diverse areas for over 5 decades.

Working out of Hyderabad, U-Foam has the distinction of being involved in all forms of Polyurethane innovation and development in the Country.

The Company has a Bureau of Indian Standards (BIS) accredited testing facility in-house for the testing and marking of Flexible foams.

U-Foams products range from Comfort products like mattresses, pillows and cushions to industrial supplies, specialty foams and packaging foams in the flexible foam area of Polyurethane foams

In rigid foam, products are insulation materials, board stock, pipe sections Structural foams, Thermo-formable foams, and specialty foams for use in the aircraft and defence Industries. Tank insulation and roof insulation are also undertaken. Our Rigid Foams, are the only Type approved product for usage in Helicopter Blades manufactured by M/s. H A L in Bangalore and are also recipients of the Indigenisation Award by the SATI for the same

In Moulded flexible foams, products manufactured are automotive and two wheeler seats and back rests, comfort products like pillows and orthopaedic pillows, special packaging materials etc.,

In the area of insulated panels U-Foam range covers Environmental chambers for the Automotive, Electronics and General Engineering Industry, Cold and Cool Rooms, Telecommunication Enclosures where U-Foam has had the distinction of serving perhaps 30% of India's total telecommunication Shelter requirement, servicing practically the entire cellular industry, Air-conditioned Bunk Houses, Prefabricated Homes, Insulated Roofs, Anganwadi centres, Sub-health centres, prefabricated Toilets & Urinals etc.

U-Foam has phased out the usage of harmful CFCs, and our entire ranges of products are environmentally friendly.

U-Foam is the proud recipient of the "Award for Excellence in Aerospace Indigenisation" from the usage of Rigid Foam for use in Helicopter blades in 1993 from the Society of Indian Aerospace Technologies and Industries, Bangalore.

U-Foam is also the proud recipient of the Best Performance in SSI Sector-2004, by the All India Manufacturers' Association (AP Chapter)

U-Foam is also the recipient of the "Best Solar Project 2013" from, Power-Gen International, USA for solar electrification of 57 remote villages.




U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com



INDIVIDUAL INDIAN TOILET BLOCK



Proprietary design and drawings of U-Foam Private Limited

Model No. # 120090-1IWC-1

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
4	3	7½	120	90	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Individual household toilets.
2. Construction sites.
3. Public roadside conveniences.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Flush tank.
- Urinals (Optionally water-free)
- Western toilet instead of Indian toilet.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

INDIVIDUAL WESTERN TOILET BLOCK



Proprietary design and drawings of U-Foam Private Limited

Model No. # 120090-1WC-2

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
4	3	7½	120	90	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Individual household toilets.
2. Construction sites.
3. Public roadside conveniences.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Flush tank.
- Urinals (Optionally water-free)
- Indian toilet instead of Western toilet.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

TWIN INDIAN TOILET BLOCK



Proprietary design and drawings of U-Foam Private Limited

Model No. # 120180-2IWC-1

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
4	6	7½	120	180	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Two household toilets, small community groups.
2. Construction sites.
3. Public roadside conveniences.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Flush tank.
- Urinals (Optionally water-free)
- Western toilet instead of Indian toilet.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

SINGLE TOILET WITH TWO URINALS BLOCK - MEN



Model No. # 120180-11WC2UR-1

Proprietary design and drawings of U-Foam Private Limited

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
4	6	7½	120	180	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Schools and small community groups.
2. Construction sites.
3. Public roadside conveniences.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Flush tank.
- Urinals (Optionally water-free)
- Western toilet instead of Indian toilet.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

THREE TOILET BLOCK



Proprietary design and drawings of U-Foam Private Limited

Model No. # 180270-3IWC-1

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
6	9	7½	180	270	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Schools and small community groups.
2. Construction sites.
3. Public roadside conveniences.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Flush tank.
- Urinals (Optionally water-free)
- Western toilet instead of Indian toilet.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

SINGLE TOILET WITH THREE URINALS BLOCK- MEN



Model No. # 180300-11WC3UR-1

Proprietary design and drawings of U-Foam Private Limited

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
6	10	7½	180	300	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Schools and small community groups.
2. Construction sites.
3. Public roadside conveniences.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Flush tank.
- Urinals (Optionally water-free)
- Western toilet instead of Indian toilet.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

EIGHT USER TOILET BLOCK- MEN



Proprietary design and drawings of U-Foam Private Limited

Model No. # 360270-4IWC4UR-1

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
12	9	7½	240	270	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Community Toilets.
2. Construction sites.
3. Public roadside conveniences.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Flush tank.
- Urinals (Optionally water-free)
- Western toilet instead of Indian toilet.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

EIGHT USER TOILET BLOCK - MEN



Model No. # 240270-4IWC4UR-2

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
8	9	7½	240	270	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Community Toilets.
2. Construction sites.
3. Public roadside conveniences.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Flush tank.
- Urinals (Optionally water-free)
- Western toilet instead of Indian toilet.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

EIGHT USER TOILET BLOCK- WOMEN



Model No. # 360360-8IWC-1

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
12	12	7½	360	360	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Community Toilets.
2. Construction sites.
3. Public roadside conveniences.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Flush tank.
- Urinals (Optionally water-free)
- Western toilet instead of Indian toilet.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

EIGHT USER TOILET BLOCK - WOMEN



Proprietary design and drawings of U-Foam Private Limited

Model No. # 240360-8IWC-2

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
8	12	7½	240	360	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Community Toilets.
2. Construction sites.
3. Public roadside conveniences.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Flush tank.
- Urinals (Optionally water-free)
- Western toilet instead of Indian toilet.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

TWO URINALS BLOCK- MEN



Proprietary design and drawings of U-Foam Private Limited

Model No. # 120090-2UR-1

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
4	3	7½	120	90	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Public roadside conveniences
2. Schools and small community groups.
3. Construction sites.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Water-free system
- Flush tank.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

FOUR URINALS BLOCK- MEN



Proprietary design and drawings of U-Foam Private Limited

Model No. # 120180-4UR-1

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
4	6	7½	120	180	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Public roadside conveniences
2. Schools and small community groups.
3. Construction sites.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Water-free system
- Flush tank.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.


Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

FOUR URINALS BLOCK- MEN



Proprietary design and drawings of U-Foam Private Limited

Model No. # 240090-4UR-1

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
8	3	7½	240	90	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Public roadside conveniences
2. Schools and small community groups.
3. Construction sites.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Water-free system
- Flush tank.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.

Disclaimer: Accessories shown may not be part of standard equipment.


U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

TWO URINALS WITH SALES KIOSK BLOCK- WOMEN

Unit is provided with a kiosk which can be used for vending miscellaneous articles.
This solution provides much needed security for women facilities



Proprietary design and drawings of U-Foam Private Limited

Model No. # 120360-2WUR-Kiosk-1

Dimensions

In Feet			In Centimetres		
Length	Width	Height	Length	Width	Height
4	12	7½	120	360	225

All dimensions are centre-line unless otherwise specified (Conversion approximation used 1 inch = 2.5 cm)

User Groups

1. Public roadside conveniences for women
2. Schools and small community groups.
3. Construction sites.
4. Parks and recreational areas.
5. Mobile toilets and emergency toilets.

Extra Options for Above

- Regular toilets can be used in place of women urinal system (Model No. #120360-2IWC-Kiosk-2)
- Flush tank.
- Water tank of 200L / 500L / 1000L capacity.
- Washbasin with tap fitted inside /outside.
- Privacy screens.
- Internal electrical work.
 - Lighting.
 - Exhaust Fan.
 - External bulkhead above door.
- Integrated bio-digester based on intended usage levels.

Disclaimer: Accessories shown may not be part of standard equipment.

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

General Specifications

Structure	
Wall height	Standard 7½ Ft (2250 mm) walls, unless otherwise specified
Walls & Roof	Structural Panels, Pre-painted, pre-galvanised steel sheets with PUF core
Floor	Aluminium checker plate over Panel / 25 mm Cement bonded board mounted on a steel tubular support structure
Ventilators	UPVC / Aluminium / Steel ventilators with fly-mesh
Doors	[Internal] 24" x 72" (600 x 1800) [main] 30" x 72" (750 x 1800) UPVC or Steel with Foamed core door with internal tower bolt and external drop lock.
Dimensions	All dimensions are centre line unless otherwise specified
Sanitary fittings	
Indian toilet	Orissa Pan / Asian Pan
Western toilet	Regular floor mounted Western Closet
Urinal	Regular wall mounted with standard opening
Taps	Regular brass / plastic fitting
Flush tank	Dual operation regular plastic flush tank 6L/3L
Overhead tank	External Black
Pipe work	UPVC pipes and bends chemically joined and tested
Product Makes	
Sanitary Fittings	Hindware, Somany, Parryware, or equivalent generic make
Pipes	Tunga, Prince, Ajay or equivalent generic make
Overhead tank	Sintex , Uttam, Guru, Frontier or equivalent generic make
Electrical fitting	
Lights & fitting	Regular bulb holder with 8W CFL bulb
Exhaust fan	6" 45W exhaust fan
Turbo Vents	6" / 8" turbo vent
Bulkhead fitting	Regular external bulkhead fitting with 8W CFL bulb
Switches	5A switches
Wires	1.5 Sq. mm Cables Red for Line, Black for Neutral, if present Earth for Green
Incoming	Single Phase 220V 5A
MCB	5A/10A single pole tumbler
Wiring Scheme	Single Phase circuitry capable of handling 5A current and designed for 220V
Product Makes:	
Fans & Lights	Philips, Havells, CG, USHA, Khaitan or equivalent generic make
Switches & MCB	Anchor, Havells or equivalent generic make
Wires	PolyCab, Finolex, Radiant, or equivalent ISI marked
Other Technologies	
Water-free Urinal	Patented Zero-DOR Technology
Bio-Digester	Patented DRDO/DRDE

Ver 1.0

ENQUIRY FORM

Model No			
Usage	<input type="checkbox"/> Family <input type="checkbox"/> School <input type="checkbox"/> Community <input type="checkbox"/> Road side <input type="checkbox"/> Recreational Area		
Usage level/day	<input type="checkbox"/> 1-10 <input type="checkbox"/> 10-25 <input type="checkbox"/> 25-50 <input type="checkbox"/> 50 to 75 <input type="checkbox"/> 75-150 <input type="checkbox"/> 150-200 <input type="checkbox"/> 250+		
Type	<input type="checkbox"/> Boys <input type="checkbox"/> Men <input type="checkbox"/> Girls <input type="checkbox"/> Women <input type="checkbox"/> Mixed		
Toilets	<input type="checkbox"/> Indian Number []	<input type="checkbox"/> Western Number []	
Flush tank	<input type="checkbox"/> Yes <input type="checkbox"/> No	Health Faucet	<input type="checkbox"/> Yes <input type="checkbox"/> No
Urinals	<input type="checkbox"/> Boys / Men Number []	<input type="checkbox"/> Girls/Women Number []	
	If Boys Water-free <input type="checkbox"/> Yes <input type="checkbox"/> No		
Washbasin	<input type="checkbox"/> Yes <input type="checkbox"/> No	If yes <input type="checkbox"/> Individual Inside <input type="checkbox"/> Common Outside	
Lighting	Internal	<input type="checkbox"/> Yes <input type="checkbox"/> No	External <input type="checkbox"/> Yes <input type="checkbox"/> No
Power Points	<input type="checkbox"/> Yes <input type="checkbox"/> No		
Forced Ventilation	<input type="checkbox"/> Exhaust Fan <input type="checkbox"/> Turbo-vent <input type="checkbox"/> Not required		
Sewage Line	<input type="checkbox"/> Available <input type="checkbox"/> Not available	If Available distance from site []feet	
Bio-digester	<input type="checkbox"/> Required <input type="checkbox"/> Not required		
Power Line	<input type="checkbox"/> Available <input type="checkbox"/> Not available	If Available distance from site []feet	
Solar Backup	<input type="checkbox"/> Required <input type="checkbox"/> Not required	If required []hours	
Water Line	<input type="checkbox"/> Available <input type="checkbox"/> Not available	If Available distance from site []feet	
Water Tank	<input type="checkbox"/> Required <input type="checkbox"/> Not required	If required []litres	
Location	<input type="checkbox"/> Developed flat <input type="checkbox"/> uneven		
Area for facility	Length []feet x Width []feet		
Requirement	<input type="checkbox"/> Immediate <input type="checkbox"/> 0 to 6 months <input type="checkbox"/> 6 to 12 months <input type="checkbox"/> planning stage		
Commercials	Sales Tax C Form	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Transport	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Site works	Civil Works	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Water and Sewage	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	External Electrical	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Installation work	Structure	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Internal Electrical	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Plumbing	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Water	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Site Address			
	<i>Kindly affix site photograph to enquiry</i>		
LAT-LONG	[] Latitude		[] Longitude
Contact Details	Name		
	Designation		
	Company		
	Address		
	Mobile		
	Email		

Please tick [Yes] or [No] in the appropriate check box

- Please answer all follow-up questions when asked; ensure all details requested are provided.
- Enclose snapshot of location if available

Name: _____

Date: _____

Signature

U-FOAM PRIVATE LIMITED

8-2-408, Road No. 6, Banjara Hills, Hyderabad – 500 034, INDIA
Tel: +91-40-4024-5401-04 Fax: +91-40-4024-5400 Email: info@ufoam.com

U-FOAM®
Since 1959

Notes